


# P

Plastic Pallet

# lastic allet

 Superware




- รับน้ำหนักได้มาก
- ทนต่อแรงกระแทก
- มาตรฐานสากล



# Company Profile


จากประสบการณ์กว่า 30 ปี ในการผลิตพาเลทพลาสติกโดย บมจ. ศรีไทยซูเปอร์แวร์  
ผสมผสานกับเทคโนโลยีระดับโลก “Schoeller Arca Systems” แห่งประเทศเยอรมนี  
และ “SANKO” แห่งประเทศญี่ปุ่น ซึ่งทำให้ผลิตภัณฑ์พาเลทพลาสติกภายใต้ตราสินค้า  
ศรีไทย ซูเปอร์แวร์ เป็นหลักประกันความน่าเชื่อถือและความเชื่อมั่นในด้านคุณภาพ  
รวมถึงความ แข็งแรงทนทานจากการพัฒนาอย่างต่อเนื่อง เพื่อความเหมาะสมต่อการ  
ใช้งานและตอบสนอง ความต้องการของลูกค้า



รูปต่อการแอ่นตัว หรือรับน้ำหนักมาก ๆ



รูปต่อการถูกระแทกด้วยแท่งเหล็ก



รูปต่อการตกจากที่สูง

## คุณสมบัติที่สำคัญเป็นเลิศ ผลิตภัณฑ์พาเลทพลาสติกของ ศรีไทยซูเปอร์แวร์ ได้แก่ :

1. แม่พิมพ์ที่ได้มาตรฐานโดยใช้เทคโนโลยีระดับสูงในการออกแบบ ขึ้นรูปขึ้นเดียวโดยไร้รอยต่อ\*  
และใช้วัตถุดิบที่มีคุณภาพพิเศษ ทำให้พาเลทพลาสติกมีคุณสมบัติที่ทนต่อแรงกระแทก, มีน้ำหนักเบา,  
แต่รับน้ำหนักได้มาก และอายุการใช้งานที่ยาวนาน
2. มีขนาดที่หลากหลาย และรูปแบบต่างๆ ให้เลือกใช้เพื่อให้เกิดความเหมาะสมการใช้งานในแต่ละประเภท
3. ใช้งานบนชั้นวาง (Rack) ได้เพราะมีโครงสร้างพิเศษ โดยไม่ทำให้เกิดการโก่ง และบิดงอ
4. ถูกสุขอนามัย ทำความสะอาดได้ง่าย
  - ไม่ซึมซับน้ำ สามารถใช้งานได้ขณะฝนตกได้ โดยไม่มีน้ำขัง
  - ยอมรับมาตรฐาน GMP และ HACCP
5. ไม่มีปัญหาเรื่องปลวก, มอด, แมลง ทนต่อทุกสภาพภูมิอากาศ ทนความชื้น
6. ปลอดภัย และเสียน ตะปู
7. ทนต่อสารเคมีกรด และด่าง ตลอดจนแก๊สออกซิดไรซิง ไอโซลิก โนแอสเตด
8. ทนต่ออุณหภูมิที่ร้อน และเย็นจัด ตั้งแต่  $-30^{\circ}\text{C}$  ถึง  $110^{\circ}\text{C}$
9. มาตรฐาน DIN (ยุโรป) และ JIS (ญี่ปุ่น) มีรูปแบบ และขนาดตามมาตรฐานที่อ้างอิงได้
10. มีขบวนการรีไซเคิลของพลาสติกที่ง่ายและสะดวก และด้านบนของพาเลทมีปุ่มขยาย  
ป้องกันการลื่นไหลของสินค้า (ตามที่ผู้ใช้ระบุ)
11. สามารถนำกลับมา Recycle ได้แม้เป็นเศษซาก
12. เหมาะสำหรับธุรกิจส่งออกตามข้อกำหนด ISPM 15



\*ขึ้นอยู่กับรุ่นของพาเลท




# Non Reversible Type



# (Medium Duty)




สินค้าขายดี



สินค้าขายดี



สินค้าขายดี



## TP - 1/1 N



Size 1,000 x 1,200 x 180 mm.  
 Usage Single deck, 4-way entry Forklift & Handpallet  
 Weight 22.5 (+/-1) kgs.  
 Dynamic loads 1,500 kgs.  
 Static loads 4,500 kgs.  
 Material HDPE : High Density Polyethylene



Bottom View

## TP - 1/1



Size 1,000 x 1,200 x 180 mm.  
 Usage Single deck, 4-way entry Forklift & Handpallet  
 Weight 25.5 (+/-1) kgs.  
 Dynamic loads 1,500 kgs.  
 Static loads 4,500 kgs.  
 Material HDPE : High Density Polyethylene

## TP - 1/2



Size 1,200 x 1,200 x 180 mm.  
 Usage Single deck, 4-way entry Forklift & Handpallet  
 Weight 27 (+/-1) kgs.  
 Dynamic loads 1,500 kgs.  
 Static loads 4,500 kgs.  
 Material HDPE : High Density Polyethylene

## TP - 9N/2



Size 1,000x1,200x150 MM.  
 Usage DOUBLE DECK,  
 4-WAY ENTRY FORKLIFT & HANDPALLET  
 Weight 23.5 (+/-1) KGS.  
 Dynamic loads 1,500 KGS.  
 Static loads TP-9N/2 : 4,500 KGS.  
 Material HDPE : High Density Polyethylene





Bottom View

# Non Reversible Type

# (Medium Duty)

## TP - 13




Size 1,200X1,200X150 MM.  
 Usage DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
 Weight 22.5(+/-1) KGS.  
 Dynamic loads 1,500 KGS.  
 Static loads 4,500 KGS.  
 Material HDPE:High Density Polyethylene



Bottom View



## TP - 16




Size 1,000X1,200X150 MM.  
 Usage DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
 Weight 22.5 (+/-1) KGS.  
 Dynamic loads 1,500 KGS.  
 Static loads 4,500 KGS.  
 Material PP: Polypropylene



Bottom View



## TP - 29




Size 1,140X1,180X100 MM.  
 Usage 9 FEET NESTABLE, 4-WAY ENTRY FORKLIFT & HANDPALLET  
 Weight 21.5(+/-1) KGS.  
 Dynamic loads 1,500 KGS.  
 Static loads 4,500 KGS.  
 Material PP : Polypropylene



Bottom View



## TP - 30/2



Size TP-30/2 : 1,000X1,300X150 MM.  
 Usage TP-30/2 : DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
 Weight TP-30/2 : 22.5 (+/-1) KGS.  
 Dynamic loads 1,500 KGS.  
 Static loads 4,500 KGS.  
 Material PP : Polypropylene




Bottom View



# Non Reversible Type

# (Medium Duty)




## TP - 31/2



Size TP-31/2 : 1,100X1,300X150 MM.  
 Usage TP-31/2 : DOUBLE DECK,  
 4-WAY ENTRY FORKLIFT & HANDPALLET  
 Weight TP-31/2 : 24 (+/-1) KGS.  
 Dynamic loads 1,500 KGS.  
 Static loads 4,500 KGS.  
 Material PP : Polypropylene



Bottom View




สินค้า  
ขายดี

## TP - 34/2 ,34/3



SIZE 1,100X1,100X150 MM.  
 USAGE TP-34/2 : DOUBLE DECK,  
 4-WAY ENTRY FORKLIFT & HANDPALLET  
 TP-34/3 : SINGLE DECK,  
 4-WAY ENTRY FORKLIFT & HANDPALLET  
 WEIGHT TP-34/2 : 22 (+/-1) KGS.  
 TP-34/3 : 20.5 (+/-1) KGS.  
 DYNAMIC LOAD 1,500 KGS.  
 STATIC LOAD 4,500 KGS.  
 RACKING LOAD 1,000 KGS. ( STEEL INSERT )  
 Material HDPE:High Density Polyethylene

Bottom View



สินค้า  
ขายดี

## TP - 35



Size 1,000X1,200X170 MM.  
 Usage SINGLE DECK, 4-WAY ENTRY  
 FORKLIFT & HANDPALLET  
 Weight 22.5(+/-1) KGS.  
 Dynamic loads 1,500 KGS.  
 4,500 KGS.  
 RACKING LOAD 1,000 KGS. ( STEEL INSERT )  
 Material High Density Polyethylene

Bottom View



# Non Reversible Type

# (Medium Duty)

สินค้า  
ขายดี

## TP - 36 Hygiene Pallet



Size 1,000X1,200X170 MM.  
Usage SINGLE DECK,4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 24 (+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads 4,500 KGS.  
Material HDPE:High Density Polyethylene




Bottom View

## TP - 37 Hygiene Pallet



Size 1,000X1,200X150 MM.  
Usage DOUBLE DECK,4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 22.5 (+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads 4,500 KGS.  
Material HDPE:High Density Polyethylene



Bottom View

สินค้า  
ขายดี

## TP - 41



Size 1,100X1,200X170 MM.  
Usage SINGLE DECK,4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 22.5 (+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads 4,500 KGS.  
RACKING LOAD 1,000 KGS.  
Material HDPE:High Density Polyethylene



Bottom View




## TP - 44



Size 1,000X1,200X150 MM.  
Usage DOUBLE DECK,4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 22.5 (+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads 4,500 KGS.  
Material PP:Polyethylene



Bottom View





# Non Reversible Type

# (Heavy Duty)

สินค้า  
ขายดี

## TP - 2



Size  
Usage

1,000 x 1,200 x 200 mm.  
Double Deck, 4-way entry  
Forklift & Handpallet

Weight  
Dynamic loads  
Static loads  
Material


33.5 (+/-1) kgs.  
1,500 kgs.  
4,500 kgs.  
HDPE : High Density Polyethylene



Bottom View



## TP - 3/2



Size  
Usage

1,100X1,350X165 MM.  
REVERSIBLE, 2-WAY ENTRY  
FORKLIFT & HANDPALLET

Weight  
Dynamic loads  
Static loads  
Material


40 (+/-1) KGS.  
1,500 KGS.  
4,500 KGS.  
HDPE:High Density Polyethylene



Bottom View



## TP - 9N/2New



Size  
Usage

1,000X1,200X150 MM.  
Double DECK, 4-WAY ENTR  
FORKLIFT & HANDPALLET

Weight  
Dynamic loads  
Static loads  
Material


27 (+/-1) KGS.  
2,000 KGS.  
6,000 KGS.  
HDPE:High Density Polyethylene



Bottom View



## TP - 42



Size  
Usage

1,200 x 1,200 x 180 mm.  
SINGLE Deck, 4-way entry  
Forklift & Handpallet

Weight  
Dynamic loads  
Static loads  
Racking loads  
Material

30 (+/-1) kgs.  
1,500 kgs.  
4,500 kgs.  
1,000 kgs.  
HDPE : High Density Polyethylene



Bottom View



# Reversible Type


## (Medium Duty)

สินค้า  
ขายดี

### TP - 9N




Size 1,000X1,200X150 MM.  
Usage TP-9N : REVERSIBLE,  
4-WAY ENTRY FORKLIFT ONLY  
Weight 25 (+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads TP-9N : 6,000 KGS.  
Material HDPE : High Density Polyethylene



### TP - 30




Size TP-30 : 1,000X1,300X140 MM.  
Usage TP-30 : REVERSIBLE,  
4-WAY ENTRY FORKLIFT ONLY  
Weight TP-30 : 24 (+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads 4,500 KGS.  
Material PP : Polypropylene



### TP - 31



Size TP-31 : 1,100X1,300X140 MM.  
Usage TP-31 : REVERSIBLE,  
4-WAY ENTRY FORKLIFT ONLY  
Weight TP-31 : 26 (+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads 4,500 KGS.  
Material PP : Polypropylene




สินค้า  
ขายดี

### TP - 34




SIZE 1,100X1,100X150 MM.  
USAGE TP-34 : REVERSIBLE,  
4-WAY ENTRY FORKLIFT ONLY  
WEIGHT TP-34 : 24 (+/-1) KGS.  
DYNAMIC LOAD 1,500 KGS.  
STATIC LOAD 4,500 KGS.  
Material HDPE:High Density Polyethylene





## Reversible Type


## (Heavy Duty)



### TP - 3




Size	1,100X1,350X165 MM.
Usage	REVERSIBLE, 2-WAY ENTRY FORKLIFT & HANDPALLET
Weight	40 (+/-1) KGS.
Dynamic loads	1,500 KGS.
Static loads	4,500 KGS.
Material	HDPE:High Density Polyethylene



### TP - 3N



Size	1,100X1,350X160 MM.
Usage	REVERSIBLE, 4-WAY ENTRY FORKLIFT ONLY
Weight	35 (+/-1) KGS.
Dynamic loads	1,500 KGS.
Static loads	4,500 KGS.
Material	HDPE:High Density Polyethylene



### TP - 4




Size	950X1,250X150 MM.
Usage	REVERSIBLE, 2-WAYENTRY FORKLIFT ONLY
Weight	32.5 (+/-1) KGS.
Dynamic loads	1,500 KGS.
Static loads	4,500 KGS.
Material	HDPE:High Density Polyethylene

# Reversible Type

# PLALLET


## (Heavy Duty)



### TP - 6




Size 1,000X1,550/1,600X170 MM.  
 Usage REVERSIBLE, 2-WAY ENTRY FORKLIFT ONLY  
 Weight 44 ,45 (+/-1) KGS.  
 Dynamic loads 2,000 KGS.  
 Static loads 6,000 KGS.  
 Material HDPE:High Density Polyethylene



### TP - 7




Size 1,130X1,250X180 MM.  
 Usage REVERSIBLE, 2-WAY ENTRY FORKLIFT ONLY  
 Weight 41 (+/-1) KGS.  
 Dynamic loads 2,000 KGS.  
 Static loads 6,000 KGS.  
 Material HDPE:High Density Polyethylene



### TP - 8



Size 1,350X1,350X130 MM.  
 Usage REVERSIBLE,4-WAY ENTRY FORKLIFT ONLY  
 Weight 32 (+/-1) KGS.  
 Dynamic loads 2,000 KGS.  
 Static loads 6,000 KGS.  
 Material HDPE:High Density Polyethylene




### TP - 9



Size 1,000X1,200X150 MM.  
 Usage REVERSIBLE, 4-WAY ENTRY FORKLIFT ONLY  
 Weight 32.5 (+/-1) KGS.  
 Dynamic loads 2,000 KGS.  
 Static loads 6,000 KGS.  
 Material HDPE:High Density Polyethylene

# Reversible Type


## (Heavy Duty)



### TP - 12




Size 1,000X1,600X140 MM.  
 Usage REVERSIBLE, 2-WAY ENTRY FORKLIFT ONLY  
 Weight 39 (+/-1) KGS.  
 Dynamic loads 2,000 KGS.  
 Static loads 6,000 KGS.  
 Material HDPE:High Density Polyethylene



### TP - 15




Size 940X1,540X140 MM.  
 Usage DOUBLE DECK, 2-WAY ENTRY FORKLIFT ONLY  
 Weight 30.5(+/-1) KGS.  
 Dynamic loads 2,000 KGS.  
 Static loads 6,000 KGS.  
 Material PP: Polypropylene



### TP - 18



Size 1,100X1,100X144 MM.  
 Usage REVERSIBLE, 2-WAY ENTRY FORKLIFT ONLY  
 Weight 29 (+/-1) KGS.  
 Dynamic loads 2,000 KGS.  
 Static loads 6,000 KGS.  
 Material HDPE:High Density Polyethylene




### TP - 40



Size 1,400X1,700X170 MM.  
 Usage REVERSIBLE, 2-WAY ENTRY FORKLIFT ONLY  
 Weight 53 (+/-1) KGS.  
 Dynamic loads 2,000 KGS.  
 Static loads 6,000 KGS.  
 Material HDPE:High Density Polyethylene

# Light Weight Type




สินค้า  
ขายดี

## TP - 10



Size 1,000X1,200X150 MM.  
Usage DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 12 (+/-1) KGS.  
Dynamic loads 500 KGS.  
Static loads 1,500 KGS.  
Material HDPE:High Density Polyethylene



Bottom View



สินค้า  
ขายดี


## TP - 14



Size 1,100X1,100X150 MM.  
Usage DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 14(+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads 4,500 KGS.  
Material PP: Polypropylene



Bottom View



สินค้า  
ขายดี

## TP - 20



Size 1,000 x 1,200 x 150 mm.  
Usage SINGLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 17 (+/-1) kgs.  
Dynamic loads 1,500 kgs.  
Static loads 4,500 kgs.  
Material PP: Polypropylene





Bottom View

# Light Weight Type



**TOYOTA PALLET**



## TP - 21



Size Usage 1,000X1,340X135 MM.  
DOUBLE DECK, 4-WAY ENTRY  
FORKLIFT & HANDPALLET

Weight 14(+/-1) KGS.



Dynamic loads 1,500 KGS.

Static loads 4,500 KGS.

Material PP : Polypropylene



Bottom View



## TP - 24



Size Usage 1,100X1,300X150 MM.  
DOUBLE DECK, 4-WAY ENTRY  
FORKLIFT & HANDPALLET

Weight 13(+/-1) KGS.



Dynamic loads 1,500 KGS.

Static loads 4,500 KGS.

Material PP : Polypropylene



Bottom View



## TP - 25



Size Usage 1,000X1,200X170 MM.  
SINGLE DECK, 4-WAY ENTRY  
FORKLIFT & HANDPALLET

Weight 15.5 (+/-1) KGS.

Dynamic loads 1500 KGS.

Static loads 4500 KGS.

Material HDPE : High Density Polyethylene



Bottom View

# Light Weight Type


## TP - 26



Size Usage 1,200X1,200X170 MM.  
SINGLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET

Weight Dynamic loads 16 (+/-1) KGS. 1500 KGS.  
Static loads 4500 KGS.

Material HDPE : High Density Polyethylene



Bottom View

## TP - 27/ 27NR



TP-27



TP-27NR



TP-27



Bottom View

Size Usage 1,000X1,200X150 MM.  
TP-27 : DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
TP-27NR : REVERSIBLE, 4-WAY ENTRY FORKLIFT ONLY

Weight TP-27 : 17 (+/-1) KGS.  
TP-27NR : 18 (+/-1) KGS.

Dynamic loads 1,500 KGS.  
Static loads TP-27 : 4,500 KGS.  
TP-27NR : 6,000 KGS.

Material HDPE : High Density Polyethylene



## TP - 28/ 28NR



TP-28



TP-28NR





Bottom View

Size Usage 1,200X1,200X150 MM.  
TP-28 : DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
TP-28NR : REVERSIBLE, 4-WAY ENTRY FORKLIFT ONLY

Weight TP-28 : 17 (+/-1) KGS.  
TP-28NR : 18 (+/-1) KGS.

Dynamic loads 1,500 KGS.  
Static loads TP-28 : 4,500 KGS.  
TP-28NR : 6,000 KGS.



Material HDPE : High Density Polyethylene



# Light Weight Type




สินค้า  
ขายดี





## TP - 33



Size 1,000X1,200X150 MM.  
Usage DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 12.7 (+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads 4,500 KGS.  
Material PP : Polypropylene




Bottom View





## TP - 38



SIZE 1,100X1,400X100 MM.  
USAGE DOUBLE DECK, 4-WAY ENTRY FORKLIFT ONLY  
WEIGHT 11.5 (+/-1) KGS.  
DYNAMIC LOAD 1,500 KGS.  
STATIC LOAD 4,500 KGS.  
MATERIAL PP : Polypropylene



Bottom View



## TP - 39



Size 1,130X1,440X145 MM.  
Usage DOUBLEDECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 14 (+/-1) KGS.  
Dynamic loads 1,500 KGS.  
Static loads 4,500 KGS.  
Material PP : Polyethylene





Bottom View

# ONEWAY

สินค้า  
ขายดี

## TP - 17



Size 1,100X1,100X150 MM.  
Usage DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 9.8 (+/-1) KGS.  
Dynamic loads 1,000 KGS.  
Static loads 4,000 KGS.  
Material PP: Polypropylene



TP-17



TP-17N



Bottom View

สินค้า  
ขายดี

## TP - 19



Size 1,000 x 1,200 x 150 mm.  
Usage Double Deck, 4-way entry Forklift & Handpallet  
Weight 9.8 (+/-1) kgs.  
Dynamic loads 1,000 kgs.  
Static loads 4,000 kgs.  
Material PP : Polypropylene



Bottom View





## TP - 22



Size 1,016X1,220X120 MM.  
Usage DOUBLE DECK, 4-WAY ENTRY FORKLIFT & HANDPALLET  
Weight 8(+/-1) KGS.  
Dynamic loads 1,000 KGS.  
Static loads 3,000 KGS.  
Material Polypropylene (PP)





Bottom View





# Oneway



สินค้า  
ขายดี

**TP - 23N**




Size 1,100X1,100X120 MM.  
 Usage DOUBLE DECK,4-WAY ENTRY FORKLIFT & HANDPALLET  
 Weight 7(+/-1) KGS.  
 Dynamic loads 1,000 KGS.  
 Static loads 3,000 KGS.  
 Material Polypropylene (PP)



Bottom View

# Knock Down




สินค้า  
ขายดี

**TP - 45**



Size 1,000X1,200X155 MM.  
 Usage DOUBLE DECK,4-WAY ENTRY FORKLIFT & HANDPALLET  
 Weight 34(+/-1) KGS.  
 Dynamic loads 2,000 KGS.  
 Static loads 6,000 KGS.  
 Material Polypropylene (PP)



Bottom View

## ข้อแนะนำในการใช้งาน PLASTIC PALLET อย่างถูกวิธี

---

- + ตัก Pallet พร้อมสินค้าแล้วเคลื่อนย้ายอย่างถูกวิธี โดยอย่าดันหรือลากดู
- + ยก สินค้าต้องกระจายน้ำหนักบน Pallet
- + วาง Pallet พร้อมสินค้าบนพื้นเรียบสม่ำเสมอ
- + การ วางสินค้าขึ้นชั้นวาง (Racking Loads) ตามน้ำหนักที่กำหนดของ Pallet
- + การ ใช้งานเพื่อการเคลื่อนย้าย (Dynamic Loads) พร้อมสินค้า ตามน้ำหนักที่ กำหนดของ Pallet



## ข้อควรระวัง

---

- + ห้าม ใช้ขาเขี่ย Pallet ให้ใช้ ตัก ยก วาง เท่านั้น
- + ห้าม วางสินค้าบน Pallet เกินน้ำหนักที่กำหนด
- + ห้าม ดัน ชน หรือลากดู Pallet ต่อ Pallet
- + อย่า นำ Pallet ไปใช้งานผิดประเภท ให้นำไปเคลื่อนย้ายสินค้าเพื่อให้การ ทำงานมีประสิทธิภาพสูงสุด
- + อย่า วาง Pallet ในที่อุณหภูมิสูง และทำความสะอาด Pallet เมื่อเกิดความสกปรก จากการใช้งาน

- หมายเหตุ :
1. การวางสินค้าบน Pallet ให้กระจายน้ำหนักบน Pallet และวางบนพื้นผิวเรียบสม่ำเสมอ ตามการรับน้ำหนักของผลิตภัณฑ์
  2. การใช้งานที่ถูกต้องจาก Forklift&Handpallet และ Stacker ห้ามดัน ชน หรือลากดู ให้ใช้วิธี ตัก ยก วาง เท่านั้น
  3. การใช้ Forklift&Handpallet เพื่อเคลื่อนที่ย้ายสินค้า กับPallet ควรยกสูงจากพื้นเฉลี่ย 5 ซม


# คุณสมบัติ



ตำแหน่งใส่เหล็ก เพิ่มความแข็งแรง



แนวเหล็กขวาง เพื่อรับน้ำหนักขณะยก



แนวเหล็กยาว เพื่อรับน้ำหนักขณะยกขึ้น Rack

# QUALITY CONTROL





Computerized bending  
& compression test

ผลิตภัณฑ์พาเลทพลาสติก  
ได้ผ่านการทดสอบในทุกด้าน  
เช่น การทดสอบการแอ่นตัว  
หรือการรับน้ำหนักมาก ๆ

Sidewall fork tip  
impact test

การทดสอบคุณสมบัติ  
ความเหนียวแข็ง  
ขอบผนังด้านข้าง  
ขณะกระแทกด้วยแท่งเหล็ก



Drop test

การทดสอบคุณสมบัติ  
ความต้านทานแรงตก  
กระแทกจากที่สูง

 Superware

บริษัท ศรีไทยซูเปอร์แวร์ จำกัด (มหาชน)

15 สุขสวัสดิ์ 36 แขวงบางปะกอก เขตราชบุรีบูรณะ กรุงเทพฯ 10140  
โทร. 427-0088 แฟกซ์ (662) 427-9525

Srithai Superware Public Company Limited

15 Suksawat 36 Bangkok Rasburana Bangkok 10140, Thailand.

Tel. 427-0088 Fax. (662) 427-9525

E-mail: pallet1@srithaisuperware.com

http://: pallet.srithaisuperware.com

www.srithaisuperware.com